



895 E. Patriot Blvd. #110 Reno, NV 89511
 Phone: (775) 850-2050 or 1-888-645-7788
 Fax: (775) 850-2060

Single Vision Order Form

Orders assumed in pairs unless otherwise noted

Customer Name _____ Account # _____ Date _____

Shipping Instructions _____ Purchase Order # _____

Choose Diameter for Plus Powers below

60mm (uncoated only) 65mm (all coatings) 70mm (uncoated only)

FINISHED SINGLE VISION

Cancel Backorders

+	60mm (uncoated only)						65mm (all coatings)						70mm (uncoated only)						70mm Only					
	-0.00	-0.25	-0.50	-0.75	-1.00	-1.25	-1.50	-1.75	-2.00	-2.25	-2.50	-	-0.00	-0.25	-0.50	-0.75	-1.00	-1.25	-1.50	-1.75	-2.00	-2.25	-2.50	
0.00											0.00													
0.25											0.25													
0.50											0.50													
0.75											0.75													
1.00											1.00													
1.25											1.25													
1.50											1.50													
1.75											1.75													
2.00											2.00													
2.25											2.25													
2.50											2.50													
2.75											2.75													
3.00											3.00													
3.25											3.25													
3.50											3.50													
3.75											3.75													
4.00											4.00													
4.25											4.25													
4.50											4.50													
4.75											4.75													
5.00											5.00													
5.25											5.25													
5.50											5.50													
5.75											5.75													
6.00											6.00													

All FINISHED products on this form are:

Uncoated

Hardcoated

AR Coated

Super AR

Plano Polarized Hard Resin

6 Base { Grey Brown Qty
 8 Base { Green

Hard Resin Polarized

0.50		
2.00	{	Grey
4.25	{	Brown
5.25	{	Green
6.25		
8.25		

SFSV Hard Resin 70mm

0.50		
2.00		
4.25		
5.25	{	Hardcoated
6.25	{	Uncoated
7.25		
8.25		
9.25		
10.25		

Polycarbonate Aspheric 65mm Polycarbonate 70mm SunSensors 1.56 (GREY / BROWN circle one

+	60mm (uncoated only)						65mm (all coatings)						70mm (uncoated only)									
	-0.00	-0.25	-0.50	-0.75	-1.00	-1.25	-1.50	-1.75	-2.00	-	-0.00	-0.25	-0.50	-0.75	-1.00	-1.25	-1.50	-1.75	-2.00			
0.00										0.00												
0.25										0.25												
0.50										0.50												
0.75										0.75												
1.00										1.00												
1.25										1.25												
1.50										1.50												
1.75										1.75												
2.00										2.00												
2.25										2.25												
2.50										2.50												
2.75										2.75												
3.00										3.00												
3.25										3.25												
3.50										3.50												
3.75										3.75												
4.00										4.00												
4.25										4.25												
4.50										4.50												
4.75										4.75												
5.00										5.00												
5.25										5.25												
5.50										5.50												
5.75										5.75												
6.00										6.00												

SFSV Polycarbonate 76mm

SunSensors HPC Polycarbonate
 Grey Brown

0.75	
1.75	
2.75	
3.75	
4.75	
5.75	
6.75	
7.75	
8.75	

SunSensors 1.56 HC
 Grey Brown

0.50	
2.00	
4.25	
5.75	
7.75	

Index 1.71 HC

0.25	
1.50	
2.25	
3.00	
4.50	
5.25	
6.00	
7.00	
7.75	
8.75	
11.00	

Aspheric Poly 65 only



Semi Finished Bifocal/TriFocal Order Form

895 E. Patriot Blvd. #110 Reno, NV 89511
 Phone: (775) 850-2050 or **1-888-645-7788**
 Fax: (775) 850-2060

Orders assumed in pairs unless otherwise noted

Customer Name _____

Account # _____

Shipping Instructions _____

Date _____

Purchase Order # _____

Cancel Backorders

SunSensors 1.56 70mm (adds 1.00 to 3.50)

Hard Resin Polarized 70mm (adds 0.75 to 3.50)

Base	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50
2.00 L												
2.00 R												
4.25 L												
4.25 R												
4.25 L												
4.25 R												
5.25 L												
5.25 R												
6.25 L												
6.25 R												
8.25 L												
8.25 R												
8.50 L												
8.50 R												

GREY

BROWN

SunSensors
extra thick only

Polarized Only

SunSensors Only

Polycarbonate 76mm

Base	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50
0.75 L											
0.75 R											
2.75 L											
2.75 R											
4.75 L											
4.75 R											
6.75 L											
6.75 R											
7.75 L											
7.75 R											

Hard Resin Clear

7x28 Tri (adds 1.50 to 6.00)

FT 35 (adds 0.75 to 4.00)

FT 28 70mm (adds 0.75 to 6.00) (HARD COAT / UNCOATED) circle one

Base	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50	3.75	4.00	4.50	5.00	5.50	6.00	
0.50 L																			
0.50 R																			
2.00 L																			
2.00 R																			
4.25 L																			
4.25 R																			
5.25 L																			
5.25 R																			
6.25 L																			
6.25 R																			
8.25 L																			
8.25 R																			
10.50 L																			
10.50 R																			

FT 70/28 and FT 70/35
only

FT 70/28 only



895 E. Patriot Blvd. #110 Reno, NV 89511
 Phone: (775) 850-2050 or 1-888-645-7788
 Fax: (775) 850-2060

PAL Order Form

Customer Name _____ Account # _____ Date _____

Shipping Instructions _____ Purchase Order # _____

Orders assumed in pairs unless otherwise noted

Cancel Backorders

Base	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50
2.00 L												
2.00 R												
4.25 L												
4.25 R												
5.75 L												
5.75 R												
7.75 L												
7.75 R												

Hard Resin Short Corridor PAL

SunSensors 1.56 All Purpose PAL

SunSensors 1.56 Short Corridor PAL

Grey

Brown

Base	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50
1.50 L												
1.50 R												
3.25 L												
3.25 R												
5.25 L												
5.25 R												
7.25 L												
7.25 R												

Hard Resin All Purpose PAL

Hard Coat

Uncoated

Hard Resin Polarized All Purpose PAL

Grey

Brown

Base	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50
2.75 L												
2.75 R												
4.75 L												
4.75 R												
6.75 L												
6.75 R												
7.75 L												
7.75 R												

Polycarbonate Short Corridor PAL

Base	0.75	1.00	1.25	1.50	1.75	2.00	2.25	2.50	2.75	3.00	3.25	3.50
0.75 L												
0.75 R												
2.75 L												
2.75 R												
4.75 L												
4.75 R												
6.75 L												
6.75 R												
7.75 L												
7.75 R												

Polycarbonate All Purpose PAL

SunSensors HPC Poly All Purpose PAL

Grey

Brown

Special Instructions _____

