

## Semi Finished Single Vision

### Index 1.71

Product	Power Range	Base Curves											
		0.25	1.50	2.25	3.00	4.50	5.25	6.00	7.00	7.75	8.75	11.00	
65mm												•	•
70mm	+15.00 to -11.50 sph cyl to -4.00	•								•	•		
75mm			•	•	•	•	•	•					






# FINISHED SINGLE VISION



## Hard Resin



## Polycarbonate

DIAMETER	SPHERE	MINUS (-) CYLINDER									
		000	025	050	075	100	125	150	175	200	
70mm	+025 to +400										
	000 to -600										

## Polycarbonate Aspheric

DIAMETER	SPHERE	MINUS (-) CYLINDER									
		000	025	050	075	100	125	150	175	200	
65mm	+025 to +600										

# SEMI FINISHED SINGLE VISION



## Hard Resin

Product	Power Range	Base Curves															
		0.50	2.00	4.00	4.25	5.00	5.25	6.00	6.25	6.75	7.25	7.75	8.25	8.75	9.25	10.25	12.25
70mm	+9.50 to -10.00 sph cyl to -4.00	•	•		•		•		•		•		•		•		•

## Polycarbonate

Product	Power Range	Base Curves									
		0.75	1.75	2.75	3.75	4.75	5.75	6.75	7.75	8.75	
76mm	+9.50 to -10.00 sph cyl to -4.00	•	•	•	•	•	•	•	•	•	